



California Coverage Map



Oregon Coverage Map



Legend: ☐ Standard area

☐ area we don't cover.

☐ area with snow

Snow load Requirements

30PSF Vertical 12gauge add 1extra truss and 2 extra head channels
40PSF 30" apart, Extra Head Channels
50PSF 18" apart, Heavy Duty Braces, Extra Head Channels
55-60PSF 16" apart, Heavy duty Braces, Extra Head Channels
80+PSF 16" apart, Heavy Duty Braces, Extra Head Channels, Double Post System ON
CONCRETE

Head Channels:

20'Long \$80each
25'Long \$100each
30'Long \$120each
40'Long \$160each
45'Long \$180each
50'Long \$200each

Heavy Duty Braces:

12'-20'wide \$50
22'-24'wide \$65
25'-30'wide \$75

Connection Fees:

Side to Side \$25per Brace
End to End \$150+

Headers:

10'-12' \$250
15'-20' \$500
25'-30' \$750
35'-40' \$1000
45'-50' \$1250
55'-60' \$1500
65'-70' \$1750

Concrete Anchors on Sides

California: 12'-18' wide only

Dealer use only

 -5 Anchors


20' Long

 -6 Anchors

25' Long

 -7 Anchors

30' Long

 -8 Anchors

35' Long

 -9 Anchors

40' Long

Option List

Anchors Per End Enclosed

$\frac{3}{4}$
12' Wide Anchors Per End

18'-22' Wide - 5 Anchors Per End

24'-30' Wide - 7-8 Anchors Per End

ANCHORS PER SIDE

Concrete Anchors on Sides

California:20'-30'Wide/Oregon 12'-30'Wides

Dealer Use Only

|_|_|_|_|_| -6 Anchors

20' Long

|_|_|_|_|_|_| -7 Anchors

25' Long

|_|_|_|_|_|_|_| -8 Anchors

30' Long

|_|_|_|_|_|_|_|_| -10 Anchors

35' Long

|_|_|_|_|_|_|_|_|_| -11 Anchors

40' Long

****ANCHORS PER SIDE****

Mobile Home Anchors

California: 12' - 18' wide

Dealer Use Only

 -3 Anchors Per Side
20' Long

 -4 Anchors Per Side
25' Long

 -4 Anchors Per Side
30' Long

 -5 Anchors Per Side
35' Long

 -5 Per Side
40' Long

Mobile Home Anchors

California: 20'-30' Wide & Oregon 12'-30' Wide

Dealer Use Only



20' Long



25' Long



30' Long



35' Long



40' Long